Kentucky Department for Environmental Protection Division of Waste Management Underground Storage Tank Branch 300 Sower Boulevard – Frankfort KY 40601 (502) 564-5981 FOR OFFICIAL USE ONLY – DO NOT WRITE IN THIS SPACE

## **DRAFT**

## **UST Classification Guide**

Date For	Date Form Completed / /											
1. UST Facility Information												
Agency	Interest Number (AI)											
UST Fac	ility Name											
Classific	cation Type (select one)	☐ Initial Clas	ssification	1	□ A	mended (	Classificati	on				
			2	2. Sc	il Classi	fication						
	<b>Soil Classification Instructions</b> : Answer applicable questions. This guide places the UST systems into a particular class and establishes screening levels for soil. Refer to Section 7.1 of the UST Corrective Action Manual regarding criteria for soil classification.											
A.  Are any domestic-use wells, domestic-use springs or domestic-use cisterns located within a 100-meter (328			☐ Yes	for			Provide bomestic-us					
feet) rad	ius from the excavation zone?	·	□No	Pro	ceed to qu	uestion B.						
			□ N/A	Domestic-use wells, domestic-use springs, or domestic-use cisterns were disregarded. *See note. Proceed to question B.								
B.  Does analysis of soil samples collected from the excavation zone or soil borings indicate levels above the Class A Adjusted Soil Screening Levels on-site specified in the Class A Soil Screening Levels Table?			☐ Yes	Class A Adjusted Soil Screening Levels apply to soil within the Point of Compliance and the applicable Class B Soil Matrix Table Screening Levels apply to soils beyond the Point of Compliance (complete the Class A Soil Screening Levels Table only – below).								
			□No	Soil levels meet the requirements for Class A (complete the Class A Soil Screening Levels Table only – below).								
C.  Does analysis of soil samples collected from the excavation zone or soil borings indicate levels above those specified in the applicable Class B Soil Matrix Table?			re									
			Soil levels meet the requirements for Class B (complete the Class B Soil Screening Levels Table only – on next page).									
well hydro	Note: Domestic-use wells, domestic-use springs, or domestic-use cisterns: if site-specific information demonstrates no potential impact (e.g., a domestic-use well hydrogeologically upgradient from the excavation zone) to domestic-use wells, domestic-use springs, or domestic-use cisterns from a release within the excavation zone, those features shall be disregarded in the determination of site classification.											
Instructions for Class A Soil: Only complete the Class A Soil Screening Levels Table below for UST systems classified as Class A in Section 2. If the UST system does not qualify for Class A, complete the Class B Soil Screening Levels Table on the next page.												
Row 1 Identifies the baseline soil screening levels for Class A.												
Row 2 Identify the applicable Matrix Table (refer to Table 2 of the UST Corrective Action Manual). Based on the identification of the appropriate Matrix Table, depth to groundwater and soil type, complete the Class B Soil Matrix Table Screening Levels beyond the Point of Compliance (refer to Tables 2 through 5 of the UST Corrective Action Manual).												
Row 3 Identify the adjusted soil screening levels required within the Point of Compliance for UST systems in Class A by choosing the less stringent constituent levels from Rows 1 and 2 for each constituent. Row 3 identifies the final soil screening levels within the Point of Compliance.												
Class A Soil Screening Levels Table (ppm)												
Row			В	Т	E	Х	Ch	B(a)A	сРАН	nPAH	NAP	Lead
1	Class A Baseline Soil Screenin within the Point of Complia	_	2	18	30	50	15	0.15	0.3	10	5	400
2	Matrix Table Soil Screening I beyond the Point of Compli	Leveis	ass B Soil	Matrix	Table:		Soil Type	<u> </u>	Dept	h to Groun	dwater:	
3	Class A Adjusted Soil Screenin within the Point of Complia	-										

Α	ı	

Instructions for Class B Soil: Only complete the Class B Soil Screening Levels Table below for UST systems classified as Class B in Section 2. Identify the applicable Matrix Table (refer to Table 2 of the UST Corrective Action Manual). Based on the identification of the appropriate Matrix Table, depth to groundwater and soil type, complete the Class B Soil Matrix Table Screening Levels beyond the Point of Compliance (refer to Tables 2 through 5 of the UST Corrective Action Manual).

Action Ma	anual).						•	`		J		
Class B Soil Screening Levels Table (ppm)												
Cla		Class	lass B Soil Matrix Table:			Soil Type:			Depth to Groundwater:			
	il Screening Levels <u>within</u> and evond the Point of Compliance	В	Т	•	E	Х	Ch	B(a)A	сРАН	nPAH	NAP	Lead
	·											
		3.	Groun	dwater	Classific	ation						
	<b>Groundwater Classification Instructions</b> : Answer applicable questions. This guide places the UST systems into a particular class and establishes screening levels for groundwater. Refer to Section 7.2 of the UST Corrective Action Manual regarding criteria for groundwater classification.											
Α.			☐ Yes	Proce	ed to ques	tion B.						
Is the UST facility serviced by a public water supply?			□ No	Groundwater Table I screening levels apply within and beyond the Point of Compliance (complete the Groundwater Screening Levels within the Point of Compliance below).								
B.  Are domestic-use wells, domestic-use springs, or domestic-use cisterns located within a 100-meter (328												
feet) radi	us from the excavation zone?	[	☐ No Proceed to question C.									
			Domestic-use wells, domestic-use springs, or domestic-use cisterns were disregarded. *See note. Proceed to question C.									
C.  Are domestic-use wells, domestic-use springs, or domestic-use cisterns located within a 100-meter (328 feet) to 300-meter (984 feet) radius from the excavation zone?			(complete the Groundwater Screening Levels within the Point of Compilance below).									
			Groundwater Table III screening levels apply within the Point of Compliance and Groundwater Table I screening levels apply beyond the Point of Compliance (complete the Groundwater Screening Levels within the Point of Compliance below).									
			Domestic-use wells, domestic-use springs, or domestic-use cisterns were disregarded. *See note. Groundwater Table III screening levels apply within the Point of Compliance and Groundwater Table I screening levels apply beyond the Point of Compliance (complete the Groundwater Screening Levels within the Point of Compliance below).									
Note: Domestic-use wells, domestic-use springs, or domestic-use cisterns: if site-specific information demonstrates no potential impact (e.g., a domestic-use well hydrogeologically upgradient from the excavation zone) to domestic-use wells, domestic-use springs, or domestic-use cisterns from a release within the excavation zone, those features shall be disregarded in the determination of site classification.												
Instructions for Groundwater Screening Levels: Complete the Groundwater Screening Levels Table below.												
Row 1 Identify the applicable Groundwater Table and corresponding BTEX screening levels within the Point of Compliance (refer to Table 6 of the UST Corrective Action Manual).												
Row 2 Identifies Groundwater Table 1 and corresponding screening levels beyond the Point of Compliance.												
Groundwater Screening Levels (ppm)												
Row		В		Т	E	х		сРАН	nPAH	NAP	Dissolve	d Lead*
1	Groundwater Screening Levels within the Point of Compliance		roundwater Table:									
1								0.005	3	0.3	0.0	15
2	Groundwater Screening Levels beyond the Point of Compliance	0.00	07	0.94	0.47	5.8	9	0.005	3	0.3	0.0	15

Al
----

4. Domestic-Use Wells, Domestic-Use Springs, and Domestic-Use Cisterns							
Instructions: Provide the physical address and contact information for the owner of each domestic-use well, domestic-use spring, or domestic-use cistern identified. All domestic-use wells, domestic-use springs, or domestic-use cisterns shall be remediated to the maximum contaminant levels (MCLs) established in 401 KAR Chapter 8.							
Owner Name:	Physical Address:		Phone Number: ( ) -				
☐ DU Well ☐ DU Spring ☐ DU	Cistern Latitude:	Longitude:					
Photo Attached: Yes No, expla	ain:						
Owner Name:	Physical Address:		Phone Number: ( ) -				
☐ DU Well ☐ DU Spring ☐ DU	Cistern Latitude:	Longitude:					
Photo Attached:  Yes No, expla	ain:						
Owner Name:	Physical Address:		Phone Number: ( ) -				
☐ DU Well ☐ DU Spring ☐ DU	DU Cistern Latitude: Longitude:						
Photo Attached:  Yes No, expla	ain:						
Owner Name:	Physical Address:		Phone Number: ( ) -				
☐ DU Well ☐ DU Spring ☐ DU	J Cistern Latitude:	Longitude:					
Photo Attached: Yes No, expla	ain:						
5. Certification							
Under the requirements of KRS Chapter 322 and 322A, this checklist shall be completed and signed by a P.E. licensed with the Kentucky Board of Licensure for Professional Engineers and Land Surveyors or a P.G. registered with the Kentucky Board of Registration for Professional Geologists.							
I, the undersigned, under penalty of law, and in accordance with the provisions of KRS Chapter 322 or KRS Chapter 322A, as appropriate, hereby certify the submitted information, including all attached documents, is true, accurate and complete. KRS 224.99-010(4) provides for penalties for submitting false information, including the possibility of fine and imprisonment.							
Printed		Title					
Signature		Date	1 1				
☐ Professional Engineer			☐ Professional Geologist				
License Number	SEAL	Registration	n Number				
License Date		Registration	on Date				
If you have questions on how to fill out this form please contact the cabinet at (502) 564-5981 or visit our web site at <a href="http://waste.ky.gov/ust">http://waste.ky.gov/ust</a> . For copies of facility records please visit <a href="http://eec.ky.gov/pages/openrecords.aspx">http://eec.ky.gov/pages/openrecords.aspx</a> or email <a href="mailto:DEP.KORA@ky.gov">DEP.KORA@ky.gov</a> .							

BTEX:

PAH: Ch: B(a)A:

Benzene, Toluene, Ethylbenzene, and Xylene (total)
Polynuclear Aromatic Hydrocarbons
Soil screening level for Chrysene
Soil screening level for Benzo(a)anthracene
Benzo(a)pyrene, Benzo(b)fluoranthene, Benzo(k)fluoranthene, Dibenzo(a,h)anthracene, and Indeno(1,2,3-cd)pyrene cPAH: nPAH: Acenaphthene, Acenaphthylene, Anthracene, Benzo(ghi)perylene, Fluoranthene, Fluorene, Phenanthrene, and Pyrene

NAP: Naphthalene

mg/kg - parts per million for soil and mg/L - parts per million for groundwater Samples shall be filtered prior to acid preservation. ppm: